

Work Order ID 131185

Monday, March 30, 2015 9:11:10 AM

131185

Page 1

Item ID: D350-748-203 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: SS Aft Crosstube AS350 / AS355
 Start Date: 3/30/2015 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 3/30/2015 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: NLS Date: 15-03-30 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D350-748-243	A								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPPD350-748-201		CHG001						DAS 02 9-89
110	BENDING MACHINE - CROSSTUBES	0.00							
110									
CNC Bend 2	Memo	0.00							
CNC Alpha 160 Bender	Bend tube as per Dwg D350-748-243 using CNC bender program D350A and Folio FT								
	*****UNDER BEND .225" PER SIDE*****								
	****USE (4) DT9824 SHIM BLOC TO CHECK STRAIGHTNESS****								

SEP 22 2015

15-08-10

Work Order ID 131185

131185

Page 2

Monday, March 30, 2015 9:11:10 AM

Item ID: D350-748-203 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: SS Aft Crosstube AS350 / AS355
Start Date: 3/30/2015 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 3/30/2015 Req'd Qty: 1.00 *1* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

120		0.00							
120									
Crosstubes	Memo	0.00							
Crosstubes	***VERIFY CROSSTUBE DIMENSIONS AS PER DWG***								

127	QC15- Crosstube Dimensional Check	0.00							
127									
QC	Memo	0.00							
Quality Control	***MARK CUT LINES***								

128		0.00							
128									
Crosstubes	Memo	0.00							
Crosstubes	CUT TUBE AT HEIGHT ON FAI SHEET								

VERF HEIGHT 31.35 BY QC 15 LEVEL INSPECTOR EB
VERF TWIST .016 BY QC15 LEVEL INSPECTOR EB

DAS 38 DAS 49
9-89 9-89
AUG 10 2015

BL 15/08/11

Work Order ID 131185

Monday, March 30, 2015 9:11:10 AM

131185

Page 3

Item ID: D350-748-203 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: SS Aft Crosstube AS350 / AS355
 Start Date: 3/30/2015 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 3/30/2015 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Crosstubes	0.00							
130									
Crosstubes	Memo	0.00							
Crosstubes	2- Drill Tube as per Dwg D350-748-243 Using DT8876 Drill Jigs, Set-up drill table as per QSI 010								
	3 -Deburr								
	4- Engrave Part # and Batch # as per Dwg D350-748-243								
	5-Remove all marks from tube within limits of D350-748-243								
140	QC- Inspect dimensions to drawing	0.00							
140									
QC	Memo	0.00							
Quality Control									

DAS
49
 9-89
 15/08/21

Work Order ID 131185

Monday, March 30, 2015 9:11:10 AM

131185

Page 4

Item ID: D350-748-203

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 3/30/2015 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

174	Outsource process - NDT per QSI038 4.1	0.00							
-----	--	------	--	--	--	--	--	--	--

174

Outsource2

Memo 0.00

Outsource process - NDT

ISSUE P/O TO ACCUREN: 29.562CZ AUG 24 2015 1DAS
86
9-89

176	Receive & Inspect for Damage & Mat'l Certs	0.00							
-----	--	------	--	--	--	--	--	--	--

176

Packaging

Memo 0.00

Packaging

AUG 26 2015

178	QC5- Inspect part completeness to step on W/O	0.00							
-----	---	------	--	--	--	--	--	--	--

178

QC

Memo 0.00

Quality Control

DAS
38
9-89
AUG 27 2015

Work Order ID 131185

131185

Page 5

Monday, March 30, 2015 9:11:10 AM

Item ID: D350-748-203 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: SS Aft Crosstube AS350 / AS355
 Start Date: 3/30/2015 Start Qty: 1.00 *1* Cust Item ID:
 Required Date: 3/30/2015 Req'd Qty: 1.00 *1* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	SprayPaint	0.00							DAS
180									41
SprayPaint		0.00							9.89
Spray Painting	 SEE Attacheer Memo 1-Prime inside and out crosstube as per QSI 005 4.2 BATCH: <u>132384</u> 2-Paint Outside of Tube as per Dart QSI 005 4.2 BATCH: <u>132664</u>	0.00							15-8-25
190	QC14- Inspect Spray Paint	0.00							
190									DB
QC		0.00							15-09-10
Quality Control	Memo Then, Wrap in plastic bag to protect from scratches	0.00							

POSITIVE RECALL

EFFECTIVE 15/03/30 AUTH U

RELEASED UP DATE 15/03/27

wait for paint scheme

Work Order ID 131185

Monday, March 30, 2015 9:11:10 AM

131185

Page 6

Item ID: D350-748-203

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 3/30/2015 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

200

0.00

200

Crosstubes

Crosstubes

Memo

0.00

INSTALL GROUND WIRE INSERT, THEN INSERT SCREW AND WASHER

1-Abrade mating surfaces of support and crosstube with 180 grit sandpaper,
clean the area with MEK or equivalent as per dwg

2-Install supports with Proseal 890 per D350-748-243 and QSI 015

A/R Proseal 890 Batch: 132655
EXP: 3/163-Install supports clamps Using Dt8876 as per Dwg D350-748-243, Torque to
60-80 IN-LBS.

PROSEAL CURE TIME 72 HOURS:

Start: 15-9-1Finish: 15-9-4

1			DAS
			41
			9-89
			15-9-1

210

QC5- Inspect part completeness to step on W/O 0.00

210

QC

Quality Control

Memo

0.00

***RE-CHECK TORCQUE ON CLAMP AFTER PROSEAL HAS CURED
FOR 72HOURS AS PER DWG.***

1			QB
			15-09-10

Work Order ID 131185***131185***

Page 7

Monday, March 30, 2015 9:11:10 AM

Item ID: D350-748-203

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 3/30/2015 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

220

Pick Kit

0.00

220

Packaging

Memo

0.00

Packaging

DAS
27
9-89
SEP 15 2015

4
9-89

230

QC4- 100% Inspect kits for completeness

0.00

230

QC

Memo

0.00

Quality Control

DAS
02
9-89

SEP 22 2015

240

Packaging

0.00

240

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPPD350-748-203

Location: _____

PPP Rev: _____

8437

DAS
02
9-89

SEP 22 2015

Work Order ID 131185***131185***

Page 8

Monday, March 30, 2015 9:11:10 AM

Item ID: D350-748-203

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 3/30/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursTool ID Tool # Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

250

QC21 - Final Inspection - Work Order Release

0.00

250

QC

Memo

0.00

Quality Control

MCS SEP 23 2015

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Page 1

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 15.03.23 NEW ISSUE DD VERF;JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MS51958-63 *MS51958-63* Screw		Purchased	No				Each	50.0000		1		DAS 41 9-89	15-8-31

Location	Loc Qty	Loc Code
ST273	50	
m131886	50	

AN4-41A *AN4-41A* Bolt		Purchased	No			220	Each	229.0000	8	8		DAS 27 9-89	
-------------------------------------	--	-----------	----	--	--	-----	------	----------	---	---	--	-------------------	--

Location	Loc Qty	Loc Code
ST312A	209	
124836	9	
m130716	192	
m130726	8	
ST340	5	
m124804	5	
ST341	15	
124805	15	

SEP 15 2015

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Page 2

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

AN4-6A Purchased No 220 Each 1,942.000 16 16

AN4-6A

BOLT

DAS
02
9-89

**

DAS
27
9-89

DAS
6
9-89

Location	Loc Qty	Loc Code
CA	143	
M128403	43	
M130851	100	
ST325A	1599	
M131153	1599	
ST345	200	
M128403	8	
M128634	192	

16

AN5-32A Purchased No 220 Each 139.0000 4 4

AN5-32A

Bolt

DAS
02
9-89

**

DAS
27
9-89

DAS
6
9-89

Location	Loc Qty	Loc Code
ST299A	123	
m130716	23	
m131139	100	
ST336	16	
m128403	7	
m128634	9	

m130536

4

D3500-1 Manufactured No 220 Each 16.0000 4 4

D3500-1

Saddle

DAS
02
9-89

**

DAS
27
SEP 15 2015

DAS
6
9-89

Location	Loc Qty	Loc Code
ST406	16	
125922	5	
129372	11	

B131162

4

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Page 3

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

D3501-1 Manufactured No

220 Each 8.0000 16 16

D3501-1

Bushing

DAS
02
9-89

**

135919

DAS
8
9-89

Location

Loc Qty

Loc Code

ST046

8

125925

1

130742

7

MS2104214 Purchased No

220 Each 2,634.000 24 24

MS210421 4

Locknut

DAS
02
9-89

**

DAS
27
9-89

SEP 15 2015

Location

Loc Qty

Loc Code

FP001

42

m124231

42

GA

634

m127813

634

ST260a

1056

m130799

56

m131803

1000

ST305

902

426

426

m128300

8

m128798

10

m130922

97

m131340

349

m131618

12

m13238

24

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

MS21042L5

Purchased

No

220

Each

465.0000

4

4

MS21042L5

**

DAS
27
9-89DAS
27
9-89

Nut

DAS
02
9-89LocationLoc QtyLoc Code

GA	150	
m127813	150	
ST305	315	m132677
m127813	290	
m130388	4	
m131340	21	

4

NAS1149D0463J

Purchased

No

220

Each

2,231.000

32

32

NAS1149D0463J

**

DAS
27
9-89DAS
27
9-89

WASHER

DAS
02
9-89LocationLoc QtyLoc Code

CA	397	
M129682	397	
GA	136	
M129390	136	m132035
ST269	1698	
M130799	507	
M131624	1191	

32

SEP 15 2015

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Page 5

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0563J

Purchased

No

220

Each

799.0000

8

8

NAS1149D0563.J

Washer

DAS

DAS
02
9-89

Location

Loc Qty

Loc Code

GA

130

m125807

130

ST260a

68

113524

3

118206

2

m130799

63

ST269

156

m128257

156

ST271

445

m131026

445

m132677

8

D350-748-243TRN

Manufactured

No

Each

0.0000

D350-748-243TRN

Crosstube Installation, High Aft

D3502-1

Manufactured

No

Each

28.0000

D3502-1

Support

①

15C 15/08/10

2

DAS
41
9-89

15-9-2

2

Location

Loc Qty

Loc Code

LG050

28

119578

2

125926

-2

129420

28

D5123-7

Manufactured

No

Each

0.0000

D5123-7

Clamp Cushion

DAS
41
9-89

15-9-2

2

2

131194

Picklist Print

Monday, March 30, 2015 9:11:14 AM

Page 6

Work Order ID: 131185

131185

Parent Item: D350-748-203

D350-748-203

Parent Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015

Required Date: 3/30/2015

Start Qty: 1.00

Required Qty: 1.00

AETC-1032

Purchased

No

Each

20.0000

1

AETC-1032

DAS

41

9-89

15-8-31

Insert

Location

Loc Qty

Loc Code

st549

20

m131156

20

1

NAS1149C0363R

Purchased

No

Each

682.0000

1

NAS1149C0363R

DAS

41

9-89

15-8-31

Washer

Location

Loc Qty

Loc Code

FP001

120

114742

120

GA

180

m130673

180

ST271

382

m130673

382

MS21920-20

Purchased

No

Each

157.0000

2

MS21920-20

DAS

41

9-89

15-9-2

Clamp

Location

Loc Qty

Loc Code

FG

2

122254

2

LG050

155


m128650

155

2

DART AEROSPACE LTD		Work Order:	131185
Description:		Part Number:	
Inspection Dwg:	Rev:	Page 1 of 1	

Required Dimension	Min	Max
Height	31.100	31.600
1/2 Span	40.77	41.07
Angle	75°	77°
Total Span	81.54	82.06
Bending Passes	7	
Crushing		8%



	Side A	Side B
Bending Passes	28	29
Crushing	4.9%	4.5%
Comments		

QC15 Inspection	DAS 38 9-89	DAS 49 9-89
Date	15/08/10	

Rev	Date	Change	Revised by	Approved
A		New Issue		
B	06.09.19	Reformat; QC level revised	KJ/JM	
C	07.02.06	Reformat	KJ/JM	
D	12.02.15	Added bending passes and crushing	KJ	
E	12.03.07	Revised comments table	KJ	

Item	Qty -243	Part Number	Description
1	X	D350-748-243	CROSSTUBE ASSEMBLY (AS 350/355 HI AFT)
2	1	D6021-125	CROSSTUBE
3	2	D3502-1	SUPPORT
4	2	D5123-7	CLAMP CUSHION
5	1	AETC-1032	INSERT
6	2	MS21920-20 OR MS21920-21/-22	CLAMP (PER DART SPEC. M-MS21920-20/-21/-22)
7	1	NAS1149C0363R	WASHER (OR AN960C10)
8	1	NAS1635-3-8	SCREW (OR MS51958-63)
9	A/R	PROSEAL 890 B-2	SEALANT, AMS-S-8802 CLASS B-2

GENERAL NOTES:

- 1) MATERIAL: MANUFACTURED FROM D6021-125
FINISHED LENGTH AFTER TURNING = 124.70±0.06 (AFTER BENDING/TRIMMING = 122.70 REF)
- 2) FINISH: PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCE: PER DART QSI 018 UNLESS OTHERWISE NOTED.
WALL THICKNESS ECCENTRICITY PER DART QSI 038 7.2
MIN. ALLOWABLE WALL IS -0.020 FROM NOMINAL
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: DART PART NUMBER "D350-748-243" AND BATCH NUMBER ON INSIDE OF CUFF
PER DART QSI 044 6.4 (VIBRATING STYLUS)
- 7) WEIGHT: 29.85 lbs
- 8) PART IS SYMMETRIC ABOUT CENTERLINE, EXCEPT FOR Ø0.290 HOLE.
- 9) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE. WHEN DRILLING HOLES EXTREME CARE MUST BE TAKEN AND CAREFUL DEBURRING PERFORMED TO ENSURE A CLEAN HOLE WITH NO CRACKING/CHIPPING/GROOVES.

TURNING

- 10) BLEND OUT ALL EDGES FROM MACHINING LONGITUDINALLY, TRANSITION SHOULD BE SMOOTH. NOTE: ALL HOLES ARE DRILLED AFTER BENDING.

BENDING

- 11) BEND PROGRESSIVELY WITH A MINIMUM OF 7 PASSES PER SIDE. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D. ON TOP HALF OF BEND, AND 8% ON BOTTOM HALF OF BEND.
- 12) MAX AMPLITUDE OF RIBBLING ALONG BENT PORTION OF THE TUBE IS 0.030 (ZN A1-3)
- 13) MAX TWIST: WITH XTUBE LAYED FLAT ON SURFACE, THE DIFFERENCE BETWEEN CUFF HEIGHTS FROM THE SURFACE MAY BE NO LARGER THAN 0.38 (ZN C1-3).

ASSEMBLY

- 14) TO INSTALL D3502-1 SUPPORT: ABRASE MATING SURFACE OF SUPPORT AND CROSSTUBE WITH 180-GRIT SANDPAPER AND REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY A 0.02" TO 0.05" THICK LAYER OF PROSEAL 890 CLASS B-2 (OR AMS-S-8802 CLASS B-2) SEALANT TO MATING SURFACE OF SUPPORT.
- 15) TORQUE CLAMPS 60 TO 80 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING. PRIOR TO PACKAGING, RE-CHECK TORQUE ON CLAMPS AFTER PROSEAL 890 SEALANT HAS CURED FOR 72 HOURS.

NO 13 1185 HLT
1503 30

RELEASED

2015 MAR 18

4/ BCN 15-547

A	NEW ISSUE	CP	15.01.21
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	15.01.21		


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D350-748-243
TITLE CROSSTUBE (AS 350/355 HI AFT)

REV. A
SHEET 1 OF 4
SCALE NTS

COPYRIGHT © 2015 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**D350-748-243
ASSEMBLY DETAIL**



SECTION A-A D4-2
SCALE 6X

INSTALL THIS SIDE ONLY, AFTER FINISH:
AETC-1032 INSERT
NAS1149C0363R WASHER
NAS1635-3-8 SCREW



14 15
D3502-1 SUPPORT
MS21920-20 CLAMP (OR -21/-22)
D5123-7 RUBBER CUSHION
2 PL

D350-748-243
BENT TUBE


RELEASED

2015 MAR 18


DESIGN	92	DART AEROSPACE LTD	
DRAWN	92	HAWKESBURY, ONTARIO, CANADA	
CHECKED	A.P.	DRAWING NO.	REV. A
MFG. APPR.	7/4/11	D350-748-243	SHEET 2 OF 4
APPROVED	7/4/11	TITLE	SCALE
DE APPR.	7/4/11	CROSSTUBE (AS 350/355 HI AFT)	NTS
DATE	15.01.21	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D350-748-243
BENDING AND DRILLING DETAIL 11




RELEASED
2015 MAR 18 *up*



DETAIL C D7-3
SCALE 4X
RIPPING EXAGGERATED

DESIGN	<i>up</i>	DART AEROSPACE LTD	
DRAWN	<i>up</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>A.P.</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D350-748-243	SHEET 3 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	CROSSTUBE (AS 350/355 HI AFT)	NTS
DATE	15.01.21	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D350-748-243	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		CROSSTUBE (AS 350/355 HI AFT)	NTS
DATE	15.01.21	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



skyservice Work Order Traveler

Sky Service F.B.O. Inc.

DOT APP 53-89 / EASA 145.7142 / BDA AMO 385

WO #: MWO25564	Customer: Dart Aerospace Ltd.	Dept: NDT YUL	Reference: 29562
Descr:	PN:	S/N:	Qty: 1
Make:	Model:	Reg:	A/C S/N:
TSN:	CSN:	TSO:	
Task: UNSCHEDULED			Sequence: 1

Work Required:


CARRY OUT NDT ON 9 CROSSTUBES AS PE PO29562

3 SSFWD CROSSTUBES , ITEM ID# D350-748-103 , WORK ORDER ID# 131170, 131171, 131173

6 SS AFT CROSSTUBES , ITEM ID# D350-748-203 , WORK ORDER ID# 131182, 131183, 131184, 131185, 131186, 131187

Action Taken:						Date:	Initial/Stamp:
LPI C/O IAW ASTM E-1417M-13 ***NO CRACK FOUND*** PEN. ZL-56, MPO13600, UV M-20141, CLEANER SKC-S MPO13923 , DEV. MPO11715						AUG 24 2015	 
Description	Location	P/N	Qty	Batch	S/N Off	S/N On	

I certified that the maintenance described above has been performed in accordance with the applicable standard of airworthiness.

Signature: 	ACA/SCA Stamp 	Date: AUG 24 2015
Name: RAFTO DELICIAN		

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____

Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☒ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☒</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☒	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																						
Thermoforming ☐	Finishing ☒	Rec/Store/Packaging ☐	Other ☐																																																																						
Large Fab ☐	Composite ☐	Supplier ☐																																																																							
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval DAS 12 15/4/27 9-89																																																																		
Description Work Order Deviation				Disposition				Completed By DAS 41 15-8-25 9-89 Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																																	
To increase adhesion of prime/paint, use the following: Arcite 1320SS cleaner Arcite 230S Metabok. Tests show that Arcite provides superior adhesion vs normal procedure per QSI 005				Arcite 1320S cleaner: 132520 BN Arcite 230S Metabok: 132474 BN																																																																					
Root Cause <table style="width:100%; border: none;"> <tr> <td style="border: none;">Environment ☐</td> <td style="border: none;">No Re-verification ☐</td> </tr> <tr> <td style="border: none;">Design ☐</td> <td style="border: none;">Operator ☐</td> </tr> <tr> <td style="border: none;">Doc/Data ☐</td> <td style="border: none;">Offset/Setup ☐</td> </tr> <tr> <td style="border: none;">Equip/Tooling ☐</td> <td style="border: none;">Supplier ☐</td> </tr> <tr> <td style="border: none;">Handling/Pre ☐</td> <td style="border: none;">Training ☐</td> </tr> <tr> <td style="border: none;">Material ☐</td> <td style="border: none;">Use for Testing ☐</td> </tr> <tr> <td style="border: none;">Internal Transport ☐</td> <td style="border: none;">Poor Information ☐</td> </tr> <tr> <td style="border: none;">Tribal Knowledge ☐</td> <td style="border: none;">Rushing ☐</td> </tr> <tr> <td style="border: none;">LOA ☐</td> <td style="border: none;">Product Improvement ☐</td> </tr> <tr> <td style="border: none;">Substation ☐</td> <td style="border: none;">Process Improvement ☐</td> </tr> <tr> <td style="border: none;">Past Expiry Date ☐</td> <td style="border: none;">Manufacturing Process ☐</td> </tr> <tr> <td style="border: none;">Misidentified ☐</td> <td style="border: none;">Past Due ☐</td> </tr> </table>				Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	FAULT CATEGORY <table style="width:100%; border: none;"> <tr> <td style="border: none;">Pressure/Forced ☐</td> <td style="border: none;">Temperature/Cure ☐</td> <td style="border: none;">Power Loss/Surge ☐</td> <td style="border: none;">Positioned Wrong ☐</td> </tr> <tr> <td style="border: none;">Bending ☐</td> <td style="border: none;">Set-up ☐</td> <td style="border: none;">Folio/Program ☐</td> <td style="border: none;">Outside Dimensions ☐</td> </tr> <tr> <td style="border: none;">Centre Not Concentric ☐</td> <td style="border: none;">BOM/Route ☐</td> <td style="border: none;">Grain ☐</td> <td style="border: none;">Over/Under tolerance ☐</td> </tr> <tr> <td style="border: none;">Cracks ☐</td> <td style="border: none;">Broken/Damage/Defect ☐</td> <td style="border: none;">Weld ☐</td> <td style="border: none;">Part Incorrect ☐</td> </tr> <tr> <td style="border: none;">Crimp/Kink/Ripple/Wave ☐</td> <td style="border: none;">Inspection Incomplete/Unqualified ☐</td> <td style="border: none;">Wrong Stock Pulled ☐</td> <td style="border: none;">Part Lost/Missing ☐</td> </tr> <tr> <td style="border: none;">Cuffs ☐</td> <td style="border: none;">Contamination ☐</td> <td style="border: none;">Out of Sequence ☐</td> <td style="border: none;">Part Moved ☐</td> </tr> <tr> <td style="border: none;">Crushing ☐</td> <td style="border: none;">Countersink ☐</td> <td style="border: none;">Off-set ☐</td> <td style="border: none;">Drawing ☐</td> </tr> <tr> <td style="border: none;">Heat Treat ☐</td> <td style="border: none;">Cut Too Short ☐</td> <td style="border: none;">Mislabeled ☐</td> <td style="border: none;">Finish ☐</td> </tr> <tr> <td style="border: none;">Wave/Twist in Tube ☐</td> <td style="border: none;">Instructions Incomplete/Unclear ☐</td> <td style="border: none;">Fit/Function ☐</td> <td style="border: none;">Misread ☐</td> </tr> <tr> <td style="border: none;">Marks/Chatter ☐</td> <td style="border: none;">Drill Holes ☐</td> <td style="border: none;">Misaligned/off center ☐</td> <td style="border: none;">Turning Sequence ☐</td> </tr> </table>						Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐																																																																								
Design ☐	Operator ☐																																																																								
Doc/Data ☐	Offset/Setup ☐																																																																								
Equip/Tooling ☐	Supplier ☐																																																																								
Handling/Pre ☐	Training ☐																																																																								
Material ☐	Use for Testing ☐																																																																								
Internal Transport ☐	Poor Information ☐																																																																								
Tribal Knowledge ☐	Rushing ☐																																																																								
LOA ☐	Product Improvement ☐																																																																								
Substation ☐	Process Improvement ☐																																																																								
Past Expiry Date ☐	Manufacturing Process ☐																																																																								
Misidentified ☐	Past Due ☐																																																																								
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																						
Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																						
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																						
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																						
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																						
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																						
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																						
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																						
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																						
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																						
				OTHER : _____																																																																					

4.0 WEIGHT AND BALANCE

The following weight and balance information is for Dart crosstube installations only. This data should be similar to the existing installation. Differences from the parts removed are the responsibility of the installer.

DART CROSSTUBE	FWD/ AFT	WEIGHT	STA	MOMENT
D350-748-101	Fwd	35.2 lb	106.3 in	3742 lb-in
D350-748-103		(16.0 kg)	(2.70 m)	(43.2 kg-m)
D350-748-201	Aft	34.7 lb	162.4 in	5635 lb-in
D350-748-203		(15.7 kg)	(4.12 m)	(64.7 kg-m)

5.0 PARTS LIST

Qty -101	Qty -103	Qty -201	Qty -203	Part Number	Description
X				D350-748-101	CROSSTUBE INSTALLATION, AS 350/355 HIGH FWD
	X			D350-748-103	CROSSTUBE INSTALLATION, AS 350/355 HIGH FWD (SS)
		X		D350-748-201	CROSSTUBE INSTALLATION, AS 350/355 HIGH AFT
			X	D350-748-203	CROSSTUBE INSTALLATION, AS 350/355 HIGH AFT (SS)
1				D350-748-141	CROSSTUBE ASSEMBLY, AS 350/355 HIGH FWD
	1			D350-748-143	CROSSTUBE ASSEMBLY, AS 350/355 HIGH FWD (SS)
		1		D350-748-241	CROSSTUBE ASSEMBLY, AS 350/355 HIGH AFT
			1	D350-748-243	CROSSTUBE ASSEMBLY, AS 350/355 HIGH AFT (SS)
*2	*2	*2	*2	D3502-1	SUPPORT
*2	*2	*2	*2	D5123-7	CLAMP CUSHION
*1		*1		AELS-1032-225	INSERT
	*1		*1	AETC-1032	INSERT
*2	*2	*2	*2	MS21920-20	CLAMP (OR MS21920-21/-22)
*1		*1		MS27039-1-10	SCREW
	*1		*1	NAS1685-3-8	SCREW (OR MS51958-63)
*1		*1		NAS1149D0363J	WASHER (OR AN960JD10)
	*1		*1	NAS1149C0363R	WASHER (OR AN960C10)
4	4	4	4	D3500-1	SADDLE
16	16	16	16	D3501-1	BUSHING
16	16	16	16	AN4-6A	BOLT
8	8	8	8	AN4-41A	BOLT
4	4	4	4	AN5-32A	BOLT
32	32	32	32	NAS1149D0463J	WASHER (OR AN960JD416)
8	8	8	8	NAS1149D0563J	WASHER (OR AN960JD516)
24	24	24	24	MS21042L4	NUT (OR MS21042-4)
4	4	4	4	MS21042L5	NUT (OR MS21042-5)

* REFERENCE ONLY. PARTS ARE INCLUDED IN D350-748-141/-143/-241/-243 ASSEMBLIES ABOVE

4.0 WEIGHT AND BALANCE

The following weight and balance information is for Dart crosstube installations only. This data should be similar to the existing installation. Differences from the parts removed are the responsibility of the installer.

DART CROSSTUBE	FWD/ AFT	WEIGHT	STA	MOMENT
D350-748-101	Fwd	35.2 lb	106.3 in	3742 lb-in
D350-748-103		(16.0 kg)	(2.70 m)	(43.2 kg-m)
D350-748-201	Aft	34.7 lb	162.4 in	5635 lb-in
D350-748-203		(15.7 kg)	(4.12 m)	(64.7 kg-m)

5.0 PARTS LIST

Qty -101	Qty -103	Qty -201	Qty -203	Part Number	Description
X				D350-748-101	CROSSTUBE INSTALLATION, AS 350/355 HIGH FWD
	X			D350-748-103	CROSSTUBE INSTALLATION, AS 350/355 HIGH FWD (SS)
		X		D350-748-201	CROSSTUBE INSTALLATION, AS 350/355 HIGH AFT
			X	D350-748-203	CROSSTUBE INSTALLATION, AS 350/355 HIGH AFT (SS)
1				D350-748-141	CROSSTUBE ASSEMBLY, AS 350/355 HIGH FWD
	1			D350-748-143	CROSSTUBE ASSEMBLY, AS 350/355 HIGH FWD (SS)
		1		D350-748-241	CROSSTUBE ASSEMBLY, AS 350/355 HIGH AFT
			1	D350-748-243	CROSSTUBE ASSEMBLY, AS 350/355 HIGH AFT (SS)
*2	*2	*2	*2	D3502-1	SUPPORT
*2	*2	*2	*2	D5123-7	CLAMP CUSHION
*1		*1		AELS-1032-225	INSERT
	*1		*1	AETC-1032	INSERT
*2	*2	*2	*2	MS21920-20	CLAMP (OR MS21920-21/-22)
*1		*1		MS27039-1-10	SCREW
	*1		*1	NAS1685-3-8	SCREW (OR MS51958-63)
*1		*1		NAS1149D0363J	WASHER (OR AN960JD10)
	*1		*1	NAS1149C0363R	WASHER (OR AN960C10)
4	4	4	4	D3500-1	SADDLE
16	16	16	16	D3501-1	BUSHING
16	16	16	16	AN4-6A	BOLT
8	8	8	8	AN4-41A	BOLT
4	4	4	4	AN5-32A	BOLT
32	32	32	32	NAS1149D0463J	WASHER (OR AN960JD416)
8	8	8	8	NAS1149D0563J	WASHER (OR AN960JD516)
24	24	24	24	MS21042L4	NUT (OR MS21042-4)
4	4	4	4	MS21042L5	NUT (OR MS21042-5)

* REFERENCE ONLY. PARTS ARE INCLUDED IN D350-748-141/-143/-241/-243 ASSEMBLIES ABOVE

Work Order ID 131185

Monday, March 30, 2015 9:11:10 AM

131185

Page 1

Item ID: D350-748-203

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: SS Aft Crosstube AS350 / AS355

Start Date: 3/30/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 3/30/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: NLS

Date: 1503-30 Tooling:

Date:

Run Start

NR1

QC: _____

Date: _____ SPC (Y/N): _____

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D350-748-243

A

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPPD350-748-201

CHG001

NLS SEP 11 2015

110

BENDING MACHINE - CROSSTUBES

0.00

110

CNC Bend 2

Memo

0.00

CNC Alpha 160 Bender

Bend tube as per Dwg D350-748-243 using CNC bender program D350A and

Folio FT

*****UNDER BEND .225" PER SIDE*****

****USE (4) DT9824 SHIM BLOC TO CHECK STRAIGHTNESS****

15-08-10